


FOSC

480f-FOSC-DM-MDJ Dome 9 Port Mechanical Sealing Fibre Optic Splice Closure



Description:

Fibre Optic Splice Closure is an essential passive component for fibre optic cable management in all fibre networks. This closure is widely used to protect fibre splices, store slack fibre tubes, and distribute multiple cables. In straight through and branching applications either in the outside plant or indoor buildings. It can be installed in aerial, pole mounting, direct buried and duct mounting.

Features:

- Easy installation, maintenance and future expansions.
- Excellent sealing against water ingress and harsh environments.
- 3 ways to secure each cable.
- Mechanical sealing ports.
- Holds up to 480 fibre splices.
- Holds up to 34 cables.

Specification:

Model	480f-FOSC-DM-MDJ
Type	Dome type
Sealing Structure	Mechanical sealing
Number of Inlet/Outlet ports	1 oval, 8 single ports
Cable Diameter	3-23mm
Maximum Capacity	480 or 960 fibres
Capacity per splice tray	6 slots/12 splices
Maximum trays	40 or 80
Dimension	585mm (H) x 290mm (D)
Temperature	-40C to 150C


FOSC



Made from PP+GF engineering compounds to deliver exceptional performance and reliability.

- Excellent strength and stiffness
- Impressive thermal resistance
- Commendable chemical resistance
- Lightweight advantage





Benefits

- Design Flexibility
- Interchangeable parts
- Mechanical sealing ports
- Large cable capacity
- Re - usable parts
- Easy installation



CONTACT US

- Mail -
info@unifiedtelecomssupplier.com
- Website – unifiedtelecomssupplier.com
- Address – 9 Warwick Rd, Borehamwood,
WD6 1US
- Phone - +447827925505

